

**From:** [Jeff Frithsen](#)  
**To:** [Amina Wilkins](#)  
**Cc:** [John Schaum](#); [Linda Phillips](#)  
**Subject:** Re: NCEA PCB Estimation Tool: Should Default Values be Changed? (Based on Recent Literature Search)  
**Date:** 04/16/2010 09:19 AM

---

Let's discuss on Monday at 10:00. I'll be in the office. I understand that Linda will be working from home and will call in. John is off that day. We can catch-up with him if we need to.

Jeff

Jeffrey B. Frithsen, Ph.D.  
Chief, Exposure Analysis and Risk Characterization Group  
National Center for Environmental Assessment, 8623-P  
Office of Research and Development, U.S. Environmental Protection Agency  
1200 Pennsylvania Avenue, NW, Washington, DC 20460  
703-347-8623 (office); 410-336-8535 (cell)

Physical Address (FedEx, UPS, and Overnight Deliveries)  
Two Potomac Yard Building - Room N7741  
2733 S. Crystal Drive  
Arlington VA 22202

▼ Amina Wilkins---04/15/2010 09:34:31 AM---Hi Jeff (Linda and John), It would be best to have the PCB default discussion in person (there is a

**From:** Amina Wilkins/DC/USEPA/US  
**To:** Jeff Frithsen/DC/USEPA/US@EPA  
**Cc:** Linda Phillips/DC/USEPA/US@EPA, John Schaum/DC/USEPA/US@EPA  
**Date:** 04/15/2010 09:34 AM  
**Subject:** NCEA PCB Estimation Tool: Should Default Values be Changed? (Based on Recent Literature Search)

---

Hi Jeff (Linda and John),  
It would be best to have the PCB default discussion in person (there is a lot to explain and several different sheets and charts come into play). Will you and Linda be in the office on Monday? John might also be interested in the meeting. Might he be in on Monday as well? I've shared some of this work with Linda so teleconferencing with Linda is OK. But I recommend meeting in person with you and John (and Linda on the line). -Amina